

FLEXIBLE *HP*- DISCONTINUOUS GALERKIN METHODS

S. Adjrid^a and T.C. Massey^b

^aDepartment of Mathematics
Virginia Polytechnic Institute and State University
Blacksburg, VA 24061
adjerids@math.vt.edu

^bNaval Research Laboratory
Oceanography Division (7322)
Stennis Space Center, MS 39529
massey@nrlssc.navy.mil

We define a new class of flexible discontinuous Galerkin finite element methods that allow for nonuniform degree and continuity level across element boundaries. This new method maintains many of the positive aspects of the discontinuous Galerkin methods while attempting to reduce computational cost. Additionally, this method can be viewed as a so called coupled method as in [3] which does not require a separate transition process. We illustrate our flexible Galerkin method on a linear two-dimensional hyperbolic problem showing data structures, numerical rates of convergence and present a computational cost analysis. We use our flexible Galerkin method to illustrate the effectiveness of our new *a posteriori* error estimates developed in [1] for a fully discontinuous Galerkin formulation of two-dimensional hyperbolic problems.

References

- [1] S. Adjrid, and T.C. Massey, “*A posteriori* discontinuous finite element error estimation for two-dimensional hyperbolic problems,” *Computer Methods in Applied Mechanics and Engineering*, vol. 191, pp. 5877-5897, 2002.
- [2] S. Adjrid, and T.C. Massey, “Superconvergence of discontinuous finite element solutions for nonlinear hyperbolic problems.” submitted, 2003.
- [3] C. Dawson, and J. Proft, “Coupling of continuous and discontinuous Galerkin methods for transport problems,” *Computer Methods in Applied Mechanics and Engineering*, vol. 191, pp. 3213-3231, 2002.
- [4] T.C. Massey, “A flexible Galerkin finite element method with an *a posteriori* discontinuous finite element error estimation for hyperbolic problems,” Ph.D. thesis, Virginia Polytechnic Institute and State University, 2002.